



## IB 15/120

The Ice Blaster IB 15/120 is one of the most powerful dry ice blasting machines on the market. It impresses with its robustness, highly reliable technology and the best results in dry ice cleaning.



### 1 Nozzle case holder

- Blasting spray nozzles and tools are always at hand on the machine.
- The nozzle case is attached to the side of the machine to protect it from dirt.



### 2 Outstanding mobility

- Optimum balancing of the device for convenient manoeuvring on uneven terrain.
- Bars at the front and rear of the device make it easy to negotiate stairs.



### 3 Automatic residual ice discharge

- The ability to empty the residual ice tank at the touch of a button prevents the device from icing up once work is complete.
- The machine does not freeze.



### 4 GFRP dry ice container

- Optimum insulation of the dry ice.
- No condensation.



## IB 15/120

- Robust and reliable
- Oil and water separator
- For the most intensive jobs


### Technical data

Order no.	1.574-104.0
EAN code	4039784638228
Connection load	kW 0.6
Compressed air connection	Claw coupling (DIN 3238)
Casing/frame	Stainless steel (1.4301)
Air pressure	bar / MPa 2 - 16 / 0.2 - 1.6
Air quality	Dry & oil-free
Air flow	m³/min 2 - 12
Sound pressure level	dB(A) 125
Dry ice capacity	kg 40
Dry ice pellets (diameter)	mm 3
Dry ice consumption	kg/h 30 - 120
Weight without accessories	kg 91
Dimensions (L × W × H)	mm 1000 × 800 × 1300

### Equipment

Nozzle case with foam insert	■	Oil and water separator	■
Grease for nozzle threads	■		
Flat jet nozzle	■		
Flat jet nozzle insert	mm 8		
Open-end wrench (for changing nozzles)	piece(s) 2		
Round jet nozzle, XL, long	■		
Spray hose with electrical control cable and quick coupling	■		
Jet gun (ergonomic and safe)	■		
"Air only" or "Air and ice" switch on the blasting trigger gun	■		
Electronic control system	■		
Includes ground strap coil	■		

■ Included in the scope of supply.



# IB 15/120

## 1.574-104.0

**KÄRCHER**



		Order no.	Quantity					Price	Description	
Double scrambler	19	4.574-052.0							Additional scrambler for producing even finer jet particles alongside the normal scrambler attachment. The double scrambler can be attached to the normal scrambler, saving space.	<input type="checkbox"/>
Nozzle extension, XXL, 170 mm	20	4.574-027.0							170 mm nozzle extension	<input type="checkbox"/>
Nozzle extension, XXL, 500 mm	21	4.574-060.0							500 mm nozzle extension.	<input type="checkbox"/>
Nozzle extension, XS, 300 mm	22	4.574-046.0							300 mm nozzle extension	<input type="checkbox"/>
Handle, IB 15/120	23	6.321-206.0							Hand grip that can be used together with nozzle extension	<input type="checkbox"/>
Nozzle light, IB 15/120	24	2.815-010.0							Nozzle lightning to screw onto the blasting gun. To illuminate the working area.	<input type="checkbox"/>
Intermediate piece for angled spray lances	25	4.574-034.0							Necessary to connect all available angled tubes. Can also be used as flat jet nozzle insert (14 mm).	<input type="checkbox"/>
90° angled spray lance, XXL	26	4.574-035.0							90° angled blasting tube that can be used in combination with all available nozzles. Additionally the connector 4.130-425.0 is required.	<input type="checkbox"/>
105° angled spray lance, XXL	27	4.574-036.0							105° angled blasting tube that can be used in combination with all available nozzles. Additionally the connector 4.130-425.0 is required.	<input type="checkbox"/>
<b>Blasting hose, compressed air hose</b>										
Spray hose, 3/4"	28	4.013-043.0							8 m spray hose with electric control cable and quick couplings, non-marking outer layer, silicone-free (3/4" diameter). Hoses without additional adaptor can be extended.	<input checked="" type="checkbox"/>
Hose trolley	29	4.574-057.0							Hose reel including all adaptors. Handy device assists you in dry ice spraying, and is suitable for 80 m compressed air hoses with a 1" diameter.	<input type="checkbox"/>
Compressed air hose, 1", 5 m	30	6.574-279.0							Lightweight, stable compressed air hose (1", 5 m) for use with the Ice Blaster. Ideal for connecting the hose reel to the compressor.	<input type="checkbox"/>
Compressed air hose, 1", 20 m	31	6.574-280.0							Lightweight, stable compressed air hose (1", 20 m) for use with the Ice Blaster. The hose can be neatly wound back onto the Kärcher hose reel after use.	<input type="checkbox"/>
Compressed air hose, 1", 60 m	32	6.574-281.0							Lightweight, stable compressed air hose (1", 60 m) for use with the Ice Blaster. The hose can be neatly wound back onto the Kärcher hose reel after use.	<input type="checkbox"/>
Protective foil for IB spray hose, 100 m	33	6.667-214.0							100m-role of tube foil. To protect the blasting hose against dirt as well as against damage.	<input type="checkbox"/>
<b>Mounting kits and other accessories</b>										
Foam insert for case IB 15/120	34	5.365-369.0							Empty foam insert for transport case with Order No. 6.421-355.0. The insert is provided with matching cut-outs for diverse dry ice blasting nozzles.	<input checked="" type="checkbox"/>
Case for nozzles and accessories	35	6.421-355.0							Storage case for spray nozzles can simply be attached to the back of the IB 15/120 with clips. Nozzle case height 120 mm.	<input checked="" type="checkbox"/>
Shovel	36	4.321-198.0							Used for filling the machine with dry ice pellets	<input type="checkbox"/>
Y adapter, air supply	37	2.641-880.0							Y-adapter for connecting the air hose to two 1/4" quick coupling connections.	<input type="checkbox"/>
Wheel, puncture-proof, 305 x 105	38	6.515-002.0							Puncture-proof, fully foamed wheel with metal rim.	<input type="checkbox"/>
<b>Protective equipment</b>										
Safety glasses	39	6.321-208.0							Safety goggles.	<input type="checkbox"/>
Protective gloves	40	6.321-210.0							Cold protection glove, size 10 with slip-resistant profile (Category 3 according to EN 511, Level 12X EN 388, Level 2121).	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

**IB 15/120**  
**1.574-104.0**



		Order no.	Quantity				Price	Description	
Hearing protection	41	6.321-207.0						Effective hearing protection with an average insulation rating of 35 dB(A) according to SNR (Single Number Rating).	<input type="checkbox"/>

■ Included in the scope of supply.    □ Available accessories.